


# SHACKLES

## SMALL DEE SHACKLES WITH TYPE A SCREW COLLAR PIN


- Manufactured from Carbon Steel C45
- Self coloured and hot dip galvanised finish available
- Proof load tested to 2 times the WLL
- Minimum breaking load is 4 times the WLL
- Marked with manufacturers mark, size ID mark and WLL



WLL (Tonne)	Weight (kg)	Dimensions (inches)				
		A	B	C	D	E
0.30	0.06	1/4	3/8	3/8	7/8	3/4
0.60	0.15	3/8	1/2	5/8	1 3/8	1
1.00	0.33	1/2	5/8	7/8	1 7/8	1 1/4
1.75	0.61	5/8	3/4	1	2 1/4	1 1/2
2.50	0.93	3/4	7/8	1 1/4	2 3/4	1 3/4
3.50	1.80	7/8	1	1 3/8	3 1/4	2
4.50	2.15	1	1 1/8	1 1/2	3 5/8	2 1/4
5.50	3.02	1 1/8	1 1/4	1 3/4	4 1/8	2 1/2
7.00	4.20	1 1/4	1 3/8	1 7/8	4 1/2	2 3/4
8.00	5.34	1 3/8	1 1/2	2 1/8	5	3
10.75	8.36	1 1/2	1 3/4	2 3/8	5 1/2	3 1/2

## LARGE DEE SHACKLES WITH TYPE A SCREW COLLAR PIN

- Manufactured from Carbon Steel C45
- Self coloured and hot dip galvanised finish available.  
Galvanised finish not available on 0.25 Tonne WLL shackle
- Proof load tested to 2 times the WLL
- Minimum breaking load is 4 times the WLL
- Marked with manufacturers mark, size ID mark and WLL



WLL (Tonne)	Weight (kg)	Dimensions (inches)				
		A	B	C	D	E
0.25	0.10	1/4	3/8	1/2	1	1/4
0.50	0.12	3/8	1/2	3/4	1 1/2	1
0.75	0.29	1/2	5/8	1 1/8	2 1/8	1 1/4
1.50	0.57	5/8	3/4	1 1/4	2 1/2	1 1/2
2.00	0.92	3/4	7/8	1 1/2	2 7/8	1 3/4
3.00	1.59	7/8	1	1 3/4	3 1/4	2
3.75	2.12	1	1 1/8	2	3 3/4	2 1/4
5.00	3.18	1 1/8	1 1/4	2 1/8	4 1/8	2 1/2
6.00	4.54	1 1/4	1 3/8	2 3/8	4 1/2	2 3/4
7.00	6.06	1 3/8	1 1/2	2 5/8	5	3
9.50	8.74	1 1/2	1 3/4	2 3/4	5 3/8	3 1/2